



Koordinierungsstelle  
für IT-Standards

## English Summary of XRechnung and Peppol in Germany

Version 3.0.2 (June 2024)

Akte	Unser Zeichen	Datum
	900/999-99-99-2296/2018-18329/2020-222745/2024	June 2024

### Table of contents

<b>1. Introduction to XRechnung in the context of Electronic Invoicing in Germany .....</b>	<b>2</b>
<b>1.1. eInvoicing in Germany with public authorities .....</b>	<b>2</b>
<b>1.2. XRechnung and Peppol.....</b>	<b>2</b>
<b>1.3. Peppol Authority in Germany .....</b>	<b>3</b>
<b>1.4. Good to know .....</b>	<b>3</b>
<b>2. Technical annex .....</b>	<b>4</b>
<b>2.1. CIUS XRechnung in detail.....</b>	<b>4</b>
<b>2.2. Extension XRechnung in detail .....</b>	<b>12</b>
2.2.1. Sub Invoice Lines .....	12
2.2.2. Third party payments .....	12
2.2.3. Additional Extension XRechnung business rules.....	13
2.2.3. Code lists .....	15
2.2.4. Additional implementation remarks .....	16

# 1. Introduction to XRechnung in the context of Electronic Invoicing in Germany

This informative document provides a comprehensive overview of XRechnung and electronic invoicing (eInvoicing) with public authorities in Germany. This is not a normative document for XRechnung, neither is it a legal framework for electronic invoicing in Germany. Normative and legal references are given where appropriate. This document refers to the latest XRechnung version 3.0.2 (published on 2024-06-20).

## 1.1. eInvoicing in Germany with public authorities

Based on the directive 2014/55/EU on electronic invoicing in public procurement, Germany developed the Core Invoice Usage Specification (CIUS) XRechnung. It is compliant to EN 16931 and meets German legal requirements. In June 2020, the Extension XRechnung was published to meet additional national requirements. The Extension XRechnung is conformant to EN 16931. Altogether, XRechnung is designed for, but not limited to, electronic invoicing with the German public authorities.

As part of the implementation of the Directive 2014/55/EU on electronic invoicing in public procurement in Germany, the National IT Planning Council<sup>1</sup> has made the following decisions (valid from 18th April 2020 onwards):

1. Public authorities in Germany have to accept and process XRechnung invoices.
2. Public authorities in Germany have to be reachable via the Peppol network if they offer a web service for electronic invoices.
3. The Coordination Office for IT Standards (KoSIT) is responsible for maintaining and publishing the CIUS XRechnung

## 1.2. XRechnung and Peppol

The specification XRechnung is currently only available in German, but XRechnung as a CIUS is based on and compliant to EN 16931-1, which is available in English. The supporting software components for XRechnung are documented in English and are published on <https://github.com/itplr-kosit>. English speaking support is given at [xrechnung@finanzen.bremen.de](mailto:xrechnung@finanzen.bremen.de) and [peppol@finanzen.bremen.de](mailto:peppol@finanzen.bremen.de). This informative document provides a comprehensive overview of XRechnung and describes where XRechnung fits in within the EN 16931-1 recommendations more precisely with regards to German law (for details please refer to the technical annex).

---

<sup>1</sup> The State Treaty on IT establishing the IT Planning Council lays the groundwork for cooperation on the use of information technology in federal and state public administration (Article 91c of the Basic Law, State Treaty on IT). The IT Planning Council is the central body responsible for National IT co-operation. The amendment gave the Federal Government exclusive authority to pass legislation concerning a core network for federal and state public administration.

The use of Peppol<sup>2</sup> within Germany focuses on the use of Peppol eDelivery and not on the use of BIS Billing 3.0, as the national standard is XRechnung. XRechnung is a valid document for the Peppol network. Please find a document identifier for XRechnung in the valid code list<sup>3</sup>.

Like XRechnung, Peppol BIS Billing 3.0 is based on CIUS and compliant to EN 16931-1.

In order to guarantee international interoperability within the Peppol network, public authorities in Germany that are reachable via Peppol are able to process Peppol BIS Billing 3.0. Peppol BIS Billing 3.0 is therefore accepted for submitting electronic invoices from outside Germany to German public authorities.

Keep in mind that there is no national ruleset for Peppol BIS Billing 3.0 as yet. In addition to the validator configuration for XRechnung, KoSIT also provides a validator configuration for Peppol BIS Billing 3.0 at <https://github.com/itplr-kosit>.

Currently, there is work ongoing to include CIUS XRechnung as national ruleset to Peppol BIS Billing 3.0. The work is still ongoing and XRechnung should be available as National Ruleset with the upcoming Peppol release. This document will be updated then. In order to keep XRechnung and Peppol BIS Billing 3.0 identical as possible, some rules from Peppol BIS Billing 3.0 had been included in XRechnung 3.0. Please refer to chap. 2.1 for more details. More detailed information will follow when the XRechnung National Ruleset is implemented.

Both document-types, Peppol BIS Billing 3.0 as well as XRechnung, may be used within Germany to send invoices from business to business (B2B).

### 1.3. Peppol Authority in Germany

KoSIT is the German Peppol Authority. It is located within the e-government division of the core administration of the federal state Free Hanseatic City of Bremen, and is a permanent organisation of the National IT Planning Council. English speaking support is given at [peppol@finanzen.bremen.de](mailto:peppol@finanzen.bremen.de).

Please contact [peppol@finanzen.bremen.de](mailto:peppol@finanzen.bremen.de), if more information about the use of Peppol in Germany including the national specific requirements is needed.

### 1.4. Good to know

XRechnung has a defined release cycle with a fixed transition period. New normative versions may be released on 31st July (summer release) and 31st Jan (winter release) each year. There is a transition period of 6 months between the release of a new version of XRechnung and it coming into force. Between the normative releases, technical bug fix updates may be published, usually in (European) spring and autumn, but with no fixed release date.

New versions of XRechnung are published on the KoSIT website (<https://xeinkauf.de/xrechnung/>) and through the Bundesanzeiger, an official journal for federal agencies in Germany. XRechnung 3.0 came into force on 1<sup>st</sup> February 2024. Compared to XRechnung versions 3.0.0 and 3.0.1, only editorial changes have been made in XRechnung 3.0.2.

---

<sup>2</sup> See [www.peppol.org](http://www.peppol.org). In addition, see also some English information on the German website [Peppol - Koordinierungsstelle für IT-Standards \(xoev.de\)](http://Peppol-Koordinierungsstelle-fur-IT-Standards.xoev.de) or contact [peppol@finanzen.bremen.de](mailto:peppol@finanzen.bremen.de).

<sup>3</sup> Please find the valid document identifier in the latest code list at <https://docs.peppol.eu/edelivery/codelists/>.

Due to federal structures in Germany, local regulations may vary from those at federal level, e.g. on submission details, thresholds or obligation to submit electronic invoices. KoSIT offers an overview (in German) on local regulations, including contact information (<http://www.xoev.de/de/xrechnung>). We also recommend contacting the contracting authorities.

## 2. Technical annex

### 2.1. CIUS XRechnung in detail

The CIUS XRechnung supports the information elements and business rules as defined in EN 16931-1. It also supports both XML syntaxes, Universal Business Language (UBL) and CII.

The below Peppol BIS Billing 3.0 rules were adapted for XRechnung 3.0 and included in the normative document.

The Peppol rules were originally adapted to the UBL syntax. An official publication for CII by Peppol does not exist. The rules were therefore adapted for CII with the release of XRechnung 3.0.0. For a transitional period, the severity level "error"/"fatal" in the syntax CII were set to "warning". In the Bugfix release in Fall 2024, the severity level in CII will be raised to "error"/"fatal" again.

Rule	Message (German)	Message (English)
<b>PEPPOL-EN16931-R001</b>	Das Element "Business process type" (BT-23) muss übermittelt werden.	Business process MUST be provided.
<b>PEPPOL-EN16931-R005</b>	Wenn in einer Rechnung das Element "VAT accounting currency code" (BT-6) übermittelt wird, muss sich der übermittelte Code vom übermittelten Code im Element "Invoice currency code" (BT-5) unterscheiden.	VAT accounting currency code MUST be different from invoice currency code when provided.
<b>PEPPOL-EN16931-R008</b>	Ein Dokument darf keine leeren Elemente enthalten	Document MUST not contain empty elements.
<b>PEPPOL-EN16931-R010</b>	Das Element "Buyer electronic address" (BT-49) muss übermittelt werden.	Buyer electronic address MUST be provided
<b>PEPPOL-EN16931-R020</b>	Das Element "Seller electronic address" (BT-34) muss übermittelt werden.	Seller electronic address MUST be provided
<b>PEPPOL-EN16931-R040</b>	Abgabe- oder Nachlassbetrag muss dem Hundersten des Basisbetrags multipliziert mit dem Prozentsatz entsprechen, wenn Basisbetrag und Prozentsatz übermittelt werden.  Diese Regel gilt für "DOCUMENT LEVEL ALLOWANCES" (BG-20), "DOCUMENT	Allowance/charge amount must equal base amount * percentage/100 if base amount and percentage exists

	LEVEL CHARGES" (BG-21), "INVOICE LINE ALLOWANCES" (BG-27) und "INVOICE LINE CHARGES" (BG-28).	
<b>PEPPOL-EN16931-R041</b>	<p>Der Basisbetrag einer Abgabe oder eines Nachlasses muss übermittelt werden, wenn ein Prozentsatz zur Berechnung der Abgabe oder des Nachlasses übermittelt wird.</p> <p>Diese Regel gilt für "DOCUMENT LEVEL ALLOWANCES" (BG-20), "DOCUMENT LEVEL CHARGES" (BG-21), "INVOICE LINE ALLOWANCES" (BG-27) und "INVOICE LINE CHARGES" (BG-28).</p>	Allowance/charge base amount MUST be provided when allowance/charge percentage is provided.
<b>PEPPOL-EN16931-R042</b>	<p>Der Prozentsatz zur Berechnung einer Abgabe oder eines Nachlasses muss übermittelt werden, wenn der Basisbetrag der Abgabe oder des Nachlasses übermittelt wird.</p> <p>Diese Regel gilt für "DOCUMENT LEVEL ALLOWANCES" (BG-20), "DOCUMENT LEVEL CHARGES" (BG-21), "INVOICE LINE ALLOWANCES" (BG-27) und "INVOICE LINE CHARGES" (BG-28).</p>	Allowance/charge percentage MUST be provided when allowance/charge base amount is provided.
<b>PEPPOL-EN16931-R046</b>	Der Inhalt des Elements "Item net price" (BT-146) muss "Item gross price" (BT-148) abzüglich "Item price discount" (BT-147) entsprechen, wenn "Item gross price" (BT-148) übermittelt wird.	Item net price MUST equal (Gross price - Allowance amount) when gross price is provided.
<b>PEPPOL-EN16931-R055</b>	"Invoice total VAT amount" (BT-110) und "Invoice total VAT amount in accounting currency" (BT-111) müssen dasselbe Vorzeichen haben.	Invoice total VAT amount and Invoice total VAT amount in accounting currency MUST have the same operational sign
<b>PEPPOL-EN16931-R061</b>	Das Element "Mandate reference identifier" (BT-89) muss übermittelt werden, wenn die Gruppe "DIRECT DEBIT" (BG-19) übermittelt wird.	Mandate reference MUST be provided for direct debit.
<b>PEPPOL-EN16931-R110</b>	Das Datum im Element "Invoice line period start date" (BT-134) muss innerhalb des Abrechnungszeitraums einer Rechnung liegen, der in "INVOICING PERIOD" (BG-14) übermittelt wird.	Start date of line period MUST be within invoice period.

<b>PEPPOL-EN16931-R111</b>	Das Datum im Element "Invoice line period end date" (BT-135) muss innerhalb des Abrechnungszeitraums einer Rechnung liegen, der in "INVOICING PERIOD" (BG-14) übermittelt wird.	End date of line period MUST be within invoice period.
<b>PEPPOL-EN16931-R120</b>	Der Inhalt des Elements "Invoice line net amount" (BT-131) muss dem Produkt aus "Invoiced quantity" (BT-129) und dem Quotienten aus "Item net price" (BT-146) und "Item price base quantity" (BT-149) zuzüglich der Summe der Beträge aller entsprechenden Elemente "Invoice line charge amount" (BT-141) und abzüglich der Summe der Beträge aller entsprechenden Elemente "Invoice line allowance amount" (BT-136) entsprechen.	Invoice line net amount MUST equal Invoiced quantity * (Item net price/item price base quantity) + Sum of invoice line charge amount - sum of invoice line allowance amount
<b>PEPPOL-EN16931-R121</b>	Der Inhalt des Elements "Item price base quantity" (BT-149) muss eine positive Zahl größer Null sein.	Base quantity MUST be a positive number above zero.
<b>PEPPOL-EN16931-R130</b>	Der Inhalt des Elements "Item price base quantity unit of measure code" (BT-150) muss mit dem Inhalt des Elements "Invoiced quantity unit of measure code" (BT-130) identisch sein.	Unit code of price base quantity MUST be same as invoiced quantity.

The following Peppol BIS Billing 3.0 rules for checking correct use of syntaxes were included additionally in the technical components:

<b>Rule</b>	<b>UBL message</b>	<b>CII message</b>
<b>PEPPOL-EN16931-R043</b>	Allowance/charge ChargeIndicator value MUST equal 'true' or 'false'.	Allowance/charge ChargeIndicator value MUST equal 'true' or 'false'.
<b>PEPPOL-EN16931-R044</b>	Charge on price level is NOT allowed. Only value 'false' allowed.	Charge on price level is NOT allowed. Only value 'false' allowed.
<b>PEPPOL-EN16931-R053</b>	Only one tax total with tax subtotals MUST be provided.	No more than one tax total amount must be provided where currency id equals document currency code.

<b>PEPPOL-EN16931-R054</b>	Only one tax total without tax subtotals MUST be provided when tax currency code is provided.	Only one tax total amount must be provided where currency id equals tax currency code, if tax currency code (BT-6) is provided.
<b>PEPPOL-EN16931-R101</b>	Element Document reference can only be used for Invoice line object.	Element Additional referenced document can only be used for Invoice line object.

In addition to EN 16931-1 the following national business rules are defined:

<b>Rule</b>	<b>Message (German)</b>	<b>Message (English)</b>
<b>BR-DE-1</b>	Eine Rechnung (INVOICE) muss Angaben zu „PAYMENT INSTRUCTIONS“ (BG-16) enthalten.	For German suppliers, an invoice shall contain information on “PAYMENT INTSTRUCTIONS” (BG-16).
<b>BR-DE-2</b>	Die Gruppe „SELLER CONTACT“ (BG-6) muss übermittelt werden.	For German suppliers, the group “SELLER CONTACT” (BG-6) shall be provided.
<b>BR-DE-3</b>	Das Element „Seller city“ (BT-37) muss übermittelt werden.	For German suppliers, the element “seller city” (BT-37) shall be provided.
<b>BR-DE-4</b>	Das Element „Seller post code“ (BT-38) muss übermittelt werden.	For German suppliers, the element “Seller post code” (BT-38) shall be provided.
<b>BR-DE-5</b>	Das Element „Seller contact point“ (BT-41) muss übermittelt werden.	For German suppliers, the element “Seller contact point” (BT-41) shall be provided.
<b>BR-DE-6</b>	Das Element „Seller contact telephone number“ (BT-42) muss übermittelt werden.	For German suppliers, the element “Seller contact telephone number” (BT-42) shall be provided.
<b>BR-DE-7</b>	Das Element „Seller contact email address“ (BT-43) muss übermittelt werden.	For German suppliers, the element “Seller contact email address” (BT-43) shall be provided.
<b>BR-DE-8</b>	Das Element „Buyer city“ (BT-52) muss übermittelt werden.	For German suppliers, the element “Buyer city” (BT-52) shall be provided.
<b>BR-DE-9</b>	Das Element „Buyer post code“ (BT-53) muss übermittelt werden.	For German suppliers, the element “Buyer post code” (BT-53) shall be provided.
<b>BR-DE-10</b>	Das Element „Deliver to city“ (BT-77) muss übermittelt werden, wenn die Gruppe „DELIVER TO ADDRESS“ (BG-15) übermittelt wird.	For German suppliers, the element “Deliver to city” (BT-77) shall be provided if the Group „DELIVER TO ADDRESS“ (BG-15) is delivered.

<b>BR-DE-11</b>	Das Element „Deliver to post code“ (BT-78) muss übermittelt werden, wenn die Gruppe „DELIVER TO ADDRESS“ (BG-15) übermittelt wird.	For German suppliers, the element „Deliver to post code“ (BT-78) shall be provided if the Group „DELIVER TO ADDRESS“ (BG-15) is delivered.
<b>BR-DE-12</b>	Mit dem Element „Deliver to post code“ (BT-78) muss eine Postleitzahl übermittelt werden.	For German suppliers, the element “Deliver to post code” (BT-78) shall contain a German postal code.
<b>BR-DE-13 (deprecated with version 2.1.0)</b>		
<b>BR-DE-14</b>	Das Element „VAT category rate“ (BT-119) muss übermittelt werden.	For German suppliers, the element “VAT category rate “ (BT-119) shall be provided.
<b>BR-DE-15</b>	Das Element „Buyer reference“ (BT-10) muss übermittelt werden.	For German suppliers, the element “Buyer reference“ (BT-10) shall be provided.
<b>BR-DE-16</b>	Wenn in einer Rechnung die Steuer codes S, Z, E, AE, K, G, L oder M verwendet werden, muss mindestens eines der Elemente „Seller VAT identifier“ (BT-31), „Seller tax registration identifier“ (BT-32) oder „SELLER TAX REPRESENTATIVE PARTY“ (BG-11) übermittelt werden.	For German suppliers, if one of the VAT codes S, Z, E, AE, K, G, L, or M is used, an invoice shall contain at least one of the following elements: “Seller VAT identifier“ (BT-31) or “Seller tax registration identifier“ (BT-32) or “SELLER TAX REPRESENTATIVE PARTY“ (BG-11).
<b>BR-DE-17</b>	Mit dem Element „Invoice type code“ (BT-3) sollen ausschließlich folgende Codes aus der Codeliste UNTDID 1001 übermittelt werden: <ul style="list-style-type: none"> <li>• 326 (Partial invoice)</li> <li>• 380 (Commercial invoice)</li> <li>• 384 (Corrected invoice)</li> <li>• 389 (Self-billed invoice)</li> <li>• 381 (Credit note)</li> <li>• 875 (Partial construction invoice)</li> <li>• 876 (Partial final construction invoice)</li> <li>• 877 (Final construction invoice)</li> </ul>	For German suppliers, the element “Invoice type code” (BT-3) should only contain the following values from code list UNTDID 1001: <ul style="list-style-type: none"> <li>• 326 (Partial invoice)</li> <li>• 380 (Commercial invoice)</li> <li>• 384 (Corrected invoice)</li> <li>• 389 (Self-billed invoice)</li> <li>• 381 (Credit note)</li> <li>• 875 (Partial construction invoice)</li> <li>• 876 (Partial final construction invoice)</li> <li>• 877 (Final construction invoice)</li> </ul>



<p><b>BR-DE-18</b></p>	<p>Die Informationen zur Gewährung von Skonto müssen wie folgt im Element „Payment terms“ (BT-20) übermittelt werden:</p> <p>Anzugeben ist im ersten Segment „SKONTO“, im zweiten „TAGE=n“, im dritten „PROZENT=n“. Prozentzahlen sind ohne Vorzeichen sowie mit Punkt getrennt von zwei Nachkommastellen anzugeben.</p> <p>Liegt dem zu berechnenden Betrag nicht BT-115, „fälliger Betrag“ zugrunde, sondern nur ein Teil des fälligen Betrags der Rechnung, ist der Grundwert zur Berechnung von Skonto als viertes Segment „BASISBETRAG=n“ gemäß dem semantischen Datentypen Amount anzugeben.</p> <p>Jeder Eintrag beginnt mit einer #, die Segmente sind mit einer # getrennt und eine Zeile schließt mit einer # ab. Am Ende einer vollständigen Skonto- oder Verzugsangabe muss ein XML-konformer Zeilenumbruch folgen.</p> <p>Alle Angaben zur Gewährung von Skonto müssen in Großbuchstaben gemacht werden. Zusätzliches Whitespace (Leerzeichen, Tabulatoren oder Zeilenumbrüche) ist nicht zulässig. Andere Zeichen oder Texte als in den oberen Vorgaben genannt sind nicht zulässig.</p>	<p>For German suppliers, information on cash discounts for prompt payment (Skonto) shall be provided within the element “Payment terms” BT-20 in the following way:</p> <p>First segment “SKONTO”, second segment amount of days (“TAGE=N”), third segment percentage (“PROZENT=N”). Percentage must be separated by dot with two decimal places.</p> <p>In case the base value of the invoiced amount is not provided in BT-115 but as a partial amount, the base value shall be provided as fourth segment “BASISBETRAG=N” as semantic data type amount.</p> <p>Each entry shall start with a #, the segments must be separated by # and a row shall end with a #. A complete statement on cash discount for prompt payment shall end with a XML-conformant line break. All statements on cash discount for prompt payment shall be given in capital letters. Additional whitespaces (blanks, tabulators or line breaks) are not allowed. Other characters or texts than defined above are not allowed.</p>
<p><b>BR-DE-19</b></p>	<p>„Payment account identifier“ (BT-84) soll eine korrekte IBAN enthalten, wenn in „Payment means type code“ (BT-81) mit dem Code 58 SEPA als Zahlungsmittel gefordert wird.</p>	<p>For German suppliers, the element „Payment account identifier“ (BT-84) should contain a valid IBAN if code 58 SEPA is provided in „Payment means type code“ (BT-81).</p>
<p><b>BR-DE-20</b></p>	<p>„Debited account identifier“ (BT-91) soll eine korrekte IBAN enthalten, wenn in „Payment means type code“ (BT-81) mit dem Code 59 SEPA als Zahlungsmittel gefordert wird.</p>	<p>For German suppliers, the element „Debited account identifier“ (BT-91) should contain a valid IBAN if code 59 SEPA is provided in „Payment means type code“ (BT-81).</p>

<b>BR-DE-21</b>	Das Element „Specification identifier“ (BT-24) soll syntaktisch der Kennung des Standards XRechnung entsprechen.	For German suppliers, the element „Specification identifier“ (BT-24) should syntactically be equal to the identifier given with the Standard XRechnung.
<b>BR-DE-22</b>	Die in einer eingereichten Rechnung angehängten Dokumente in „ADDITIONAL SUPPORTING DOCUMENTS“ (BG-24) müssen im Element „Attached document“ (BT-125) einen eindeutigen Dateinamen haben (nicht case-sensitiv).	Attached documents, provided with an invoice in “ADDITIONAL SUPPORTING DOCUMENTS” (BG-24), shall have a unique filename (non case-sensitive) within the element “Attached document” (BT-125).
<b>BR-DE-23</b>	Wenn „Payment means type code“ (BT-81) einen Schlüssel für Überweisungen enthält (30, 58), muss „CREDIT TRANSFER“ (BG-17) übermittelt werden. BG-18 und BG-19 dürfen in diesem Fall nicht übermittelt werden	If „Payment means type code“ (BT-81) contains a code for credit transfer (30, 58), „CREDIT TRANSFER“ (BG-17) shall be provided. In this case, BG-18 and BG-19 shall not be provided.
<b>BR-DE-24</b>	Wenn „Payment means type code“ (BT-81) einen Schlüssel für Kartenzahlungen enthält (48, 54, 55), muss genau „PAYMENT CARD INFORMATION“ (BG-18) übermittelt werden. BG-17 und BG-19 dürfen in diesem Fall nicht übermittelt werden.	If „Payment means type code“ (BT-81) contains a code for payment card (48, 54, 55), „PAYMENT CARD INFORMATION“ (BG-18) shall be provided. In this case, BG-17 and BG-19 shall not be provided.
<b>BR-DE-25</b>	Wenn „Payment means type code“ (BT-81) type code einen Schlüssel für Lastschriften enthält (59), muss genau „DIRECT DEBIT“ (BG-19) übermittelt werden. BG-17 und BG-18 dürfen in diesem Fall nicht übermittelt werden.	If „Payment means type code“ (BT-81) contains a code for direct debit (59), „DIRECT DEBIT“ (BG-19) shall be provided. In this case, BG-17 and BG-18 shall not be provided.
<b>BR-DE-26</b>	Wenn im Element „Invoice type code“ (BT-3) der Code 384 (Corrected invoice) übergeben wird, soll „PRECEDING INVOICE REFERENCE“ (BG-3) mind. einmal vorhanden sein.	If „Invoice type code“ (BT-3) contains the code 384 (Corrected invoice), „PRECEDING INVOICE REFERENCE“ (BG-3) shall be provided at least once.
<b>BR-DE-27</b>	Mit dem Element „Seller contact telephone number“ (BT-42) soll eine gültige Telefonnummer übermittelt werden. Eine gültige Telefonnummer soll mindestens drei Ziffern enthalten.	„Seller contact telephone number“ (BT-42) should contain a valid telephone number. A valid telephone should consists of 3 digits minimum.

<b>BR-DE-28</b>	Mit dem Element „Seller contact email address“ (BT-43) soll eine gültige E-Mail-Adresse übermittelt werden.  Fußnote: Technische Details der Umsetzung sind in der XRechnung Schematron Regel BR-DE-28 zu finden.	„Seller contact email address“ (BT-43) should contain a valid email address.  Footnote: Technical details for implementation can be found in XRechnung Schematron Rule BR-DE-28.
<b>BR-DE-29 (is replaced by PEPPOL-EN16931-R061)</b>	<del>Das Element "Mandate reference identifier" (BT-89) muss übermittelt werden, wenn die Gruppe "DIRECT DEBIT" (BG-19) übermittelt wird.</del>	<del>The element "Mandate reference identifier" (BT-89) shall be provided, if the Group "DIRECT DEBIT" (BG-19) is delivered.</del>
<b>BR-DE-30</b>	Das Element "Bank assigned creditor identifier" (BT-90) muss übermittelt werden, wenn die Gruppe "DIRECT DEBIT" (BG-19) übermittelt wird.	The element "Bank assigned creditor identifier" (BT-90) shall be provided, if the Group "DIRECT DEBIT" (BG-19) is delivered.
<b>BR-DE-31</b>	Das Element "Debited account identifier" (BT-91) muss übermittelt werden, wenn die Gruppe "DIRECT DEBIT" (BG-19) übermittelt wird.	The element ""Debited account identifier" (BT-91) shall be provided, if the Group "DIRECT DEBIT" (BG-19) is delivered.

In addition to these rules, the concept of temporary rules has been introduced. These rules fix issues with on CEN Schematron level which have been already reported but not been solved yet. They will be removed when the issues are fixed on CEN level.

**Currently, no temporary validation rules are implemented.**

Some additional remarks are available for the following information elements, which are not part of EN 16931-1 but may be helpful for using XRechnung (listed in order of appearance in the document Specification XRechnung):

- BT-10 Buyer reference: The Leitweg-ID is an identifier developed to address public entities in Germany and may be used within XRechnung. KoSIT does not provide any Leitweg-ID from German public authorities. Public authorities themselves should provide the Leitweg-ID to the issuers of electronic invoices. In case XRechnung is used in other contexts than B2G (e.g. B2B), other buyer references can be used and the usage of Leitweg-ID is not required.
- BT-20 Payment terms: BT-20 may be used to provide information on cash discount for prompt payment (de: Skonto) or default charges (de: Verzugszinsen) in a structured manner. In addition, unstructured information may also be provided (see BR-DE-18 for technical details).
- BG-24 ADDITIONAL SUPPORTING DOCUMENTS and BT-125 Attached document|Attached document/Attached document Filename: Attached documents, provided with an invoice in BG-24 ADDITIONAL SUPPORTING DOCUMENTS shall

have a unique filename (non case-sensitive) within the element "Attached document/Attached document Filename" BT-125. The file extension is part of the validation process.

- BT-24 Specification identifier: Conformance to the Standard XRechnung is given with the identifier of the valid version
  - For CIUS XRechnung 3.0 (from 01.02.2024 until deprecation):  
urn:cen.eu:en16931:2017#compliant#urn:xeinkauf.de:kosit:xrechnung\_3.0
    - Please note, that the structure of the identifier has slightly changed with version 3.0

## 2.2. Extension XRechnung in detail

The Extension XRechnung was published on 30 July 2020. The main incentive for the Extension is to support invoices within the construction sector. However, the Extension XRechnung is a country-specific extension not limited to a specific domain or business sector. The Extension XRechnung may be used from 01 January 2021 on.

Conformance to the Extension XRechnung in "Specification identifier" BT-24 is given with the identifier of the valid version:

- For Extension XRechnung 3.0 (from 01.02.2024 until deprecation):  
urn:cen.eu:en16931:2017#compliant#urn:xeinkauf.de:kosit:xrechnung\_3.0#conformant#urn:xeinkauf.de:kosit:extension:xrechnung\_3.0
  - Please note, that the structure of the identifier has slightly changed with version 3.0

Extension XRechnung includes the following features:

- Sub invoice lines (see chap. 2.2.1)
- Embedded attachments with file type XML: XML documents may be attached as embedded documents within an electronic invoice using Extension XRechnung (see rule BR-DEX-01)
- Third party payments (see chap. 2.2.2)
- Additional entries to ISO 6523 ICD code list and Electronic Address Scheme (EAS) (see chap. 2.2.3)

### 2.2.1. Sub Invoice Lines

Support of sub invoice lines: the recursive business group BG-DEX-01 sub invoice line is defined as element for the BG-25 INVOICE LINE. Within BG-DEX-01 six other BGs are defined, which mirror the BGs from BG-25:

- BG-DEX-02 SUB INVOICE ITEM INFORMATION
- BG-DEX-03 SUB INVOICE LINE ALLOWANCES
- BG-DEX-04 SUB INVOICE LINE CHARGES
- BG-DEX-05 SUB INVOICE LINE PERIOD
- BG-DEX-06 SUB INVOICE VAT INFORMATION
- BG-DEX-07 SUB INVOICE PRICE DETAILS

### 2.2.2. Third party payments

To deliver information about third party payments which shall only influence "Amount due to payment" (BT-115) and not "Invoice total amount with VAT" (BT-112) invoice (e.g. mobile

payments on mobile phone invoices or air traffic control fees), BG-DEX-09 THIRD PARTY PAYMENT can be used. BG-DEX-09 (Cardinality 0..\*) consist of three information elements:

Name	ID	Semantic datatype	Cardinality
Third party payment type	BT-DEX-001	Text	1
Type of the third party payment			
Third party payment amount	BT-DEX-002	Amount	1
Amount of third party payment Remark: Third party amounts are amounts including VAT. No VAT breakdown is given.			
Third party payment description	BT-DEX-003	Text	1
Unique description of the third party payment. Remark: this information element is used to distinguish multiple BG-DEX-09 within one invoice.			

### 2.2.3. Additional Extension XRechnung business rules

Extension XRechnung defines the following business rules:

Rule	Message (German)	Message (English)	Information element
<b>BR-DEX-01</b>	<p>Wenn die Möglichkeit einer Extension genutzt wird, darf zusätzlich zu der Liste der mime codes (definiert in Abschnitt 8.2, „Binary Object“) der mime code application/xml genutzt werden.</p> <p>Anmerkung: Sofern das Binärobjekt vom Typ XML ist, darf das angehängte XML keine Elemente beinhalten, welche wiederum ein eigenständiges XML-Dokument beinhaltet. Rechnungssteller und Rechnungsempfänger sollten sich zur Sicherstellung der Verarbeitung bzgl. des zu nutzenden XML vorab abstimmen.</p>	<p>When using Extension XRechnung, the MIME code application/xml may be used in addition the mime codes defined in sec. 8.2 “Binary Object”.</p> <p>Note: If the binary object is an XML document, the attached XML shall not contain any elements with further XML documents. Invoice issuer and invoice receiver should clarify the usage of the embedded XML documents before using them.</p>	BT-125
<b>BR-DEX-02</b>	<p>Der Wert von „Invoice line net amount“ (BT-131) einer „INVOICE LINE“ (BG-25) oder einer „SUB INVOICE LINE“ (BG-DEX-01) soll der Summe der „Invoice line net amount“ (BT-131) der direkt darunterliegenden „SUB INVOICE LINE“ (BG-DEX-01) entsprechen.</p>	<p>The value of „Invoice line net amount“ (BT-131) of an “INVOICE LINE” (BG-25) or a “SUB INVOICE LINE” (BG-DEX-01) should be the sum of all „Invoice line net amount“ (BT-131)” of all „SUB INVOICE LINE“ (BG-DEX-01) below.</p>	BT-131

<b>BR-DEX-03</b>	Eine "SUB INVOICE LINE" (BG-DEX-01) muss genau eine "SUB INVOICE LINE VAT INFORMATION" (BG-DEX-06) enthalten.	A "SUB INVOICE LINE" (BG-DEX-01) shall contain exactly one SUB INVOICE LINE VAT INFORMATION" (BG-DEX-06).	
<b>BR-DEX-04</b>	Die Prüfredel BR-DEX-04 überschreibt die Regel BR-CL-10 zur Prüfung der ISO 6523 ICD Codeliste und ergänzt diese jeweils um die DIGA-Codes XR01, XR02 und XR03, welche nur in Verbindung mit der Extension XRechnung zu nutzen sind.	BR-DEX-04 overrides BR-CL-10 to check ISO 6523 ICD code list and to add the DiGA codes XR01, XR 02 and XR03 which are used only in Extension XRechnung.	
<b>BR-DEX-05</b>	Die Prüfredel BR-DEX-05 überschreibt die Regel BR-CL-11 zur Prüfung der ISO 6523 ICD Codeliste und ergänzt diese jeweils um die DIGA-Codes XR01, XR02 und XR03, welche nur in Verbindung mit der Extension XRechnung zu nutzen sind.	BR-DEX-05 overrides BR-CL-11 to check ISO 6523 ICD code list and to add the DiGA codes XR01, XR 02 and XR03 which are used only in Extension XRechnung.	
<b>BR-DEX-06</b>	Die Prüfredel BR-DEX-06 überschreibt die Regel BR-CL-21 zur Prüfung der ISO 6523 ICD Codeliste und ergänzt diese jeweils um die DIGA-Codes XR01, XR02 und XR03, welche nur in Verbindung mit der Extension XRechnung zu nutzen sind.	BR-DEX-06 overrides BR-CL-21 to check ISO 6523 ICD code list and to add the DiGA codes XR01, XR 02 and XR03 which are used only in Extension XRechnung.	
<b>BR-DEX-07</b>	Die Prüfredel BR-DEX-07 überschreibt die Regel BR-CL-25 zur Prüfung der CEF EAS Codeliste und ergänzt diese jeweils um die DIGA-Codes XR01, XR02 und XR03, welche nur in Verbindung mit der Extension XRechnung zu nutzen sind.	BR-DEX-07 overrides BR-CL-25 to check CEF EAS code list and to add the DiGA codes XR01, XR 02 and XR03 which are used only in Extension XRechnung.	

<b>BR-DEX-08</b>	Die Prüfregel BR-DEX-08 überschreibt die Regel BR-CL-26 zur Prüfung der ISO 6523 ICD Codeliste und ergänzt diese jeweils um die DiGA-Codes XR01, XR02 und XR03, welche nur in Verbindung mit der Extension XRechnung zu nutzen sind.	BR-DEX-08 overrides BR-CL-26 to check ISO 6523 ICD code list and to add the DiGA codes XR01, XR 02 and XR03 which are used only in Extension XRechnung.	
<b>BR-DEX-09</b>	Der Inhalt des Elementes "Amount due for payment" (BT-115) muss dem Inhalt des Elementes "Invoice total amount with VAT" (BT-112) abzüglich dem Inhalt des Elementes "Paid amount" (BT-113) zuzüglich dem Inhalt des Elementes "Rounding amount" (BT-114) und zuzüglich der Summe aller Inhalte der Elemente "Third party payment amount" (BT-DEX-002) entsprechen.  Anmerkung: diese Regel überschreibt innerhalb der Extension XRechnung die Regel BR-CO-16.	Amount due for payment (BT-115) = Invoice total amount with VAT (BT-112) - Paid amount (BT-113) + Rounding amount (BT-114) + $\Sigma$ "Third party payment amount" (BT-DEX-002)  Note: this rule overrides BR-CO-16 in Extension XRechnung	
<b>BR-DEX-10</b>	Das Element "Third party payment type" (BT-DEX-001) muss übermittelt werden, wenn die Gruppe "THIRD PARTY PAYMENT" (BG-DEX-09) übermittelt wird.	The element "Third party payment type" (BT-DEX-001) shall be provided, if the Group "THIRD PARTY PAYMENT" (BG-DEX-09) is submitted.	
<b>BR-DEX-11</b>	Das Element "Third party payment amount" (BT-DEX-002) muss übermittelt werden, wenn die Gruppe "THIRD PARTY PAYMENT" (BG-DEX-09) übermittelt wird.	The element "Third party payment amount" (BT-DEX-002) shall be provided, if the Group "THIRD PARTY PAYMENT" (BG-DEX-09) is submitted.	
<b>BR-DEX-12</b>	Das Element "Third party payment description" (BT-DEX-003) muss übermittelt werden, wenn die Gruppe "THIRD PARTY PAYMENT" (BG-DEX-09) übermittelt wird.	The element "Third party payment description" (BT-DEX-003) shall be provided, if the Group "THIRD PARTY PAYMENT" (BG-DEX-09) is submitted.	

### 2.2.3. Code lists

An extension may define additional entries to existing code lists. Extension XRechnung extends the following code list by the mentioned entries.

#### 2.2.3.1. ISO 6523 ICD code list

<b>Code</b>	<b>Scheme name</b>	<b>description</b>
<b>XR01</b>	DiGAVEID	eindeutiges Kennzeichen für eine Verordnungseinheit einer digitalen Gesundheitsanwendung (DiGA) nach Paragraph 139e SGB V
<b>XR02</b>	Freischaltcode	digitaler Gutschein für die Nutzung einer digitale Gesundheitsanwendung (DiGA) nach Paragraph 139e SGB V
<b>XR03</b>	IK	eindeutiges Kennzeichen für einen Leistungserbringer nach Paragraph 293 SGB V

### 2.2.3.2. Electronic Address Scheme (EAS)

<b>Code</b>	<b>Scheme name</b>	<b>description</b>
<b>XR01</b>	DiGAVEID	eindeutiges Kennzeichen für eine Verordnungseinheit einer digitalen Gesundheitsanwendung (DiGA) nach Paragraph 139e SGB V
<b>XR02</b>	Freischaltcode	digitaler Gutschein für die Nutzung einer digitale Gesundheitsanwendung (DiGA) nach Paragraph 139e SGB V
<b>XR03</b>	IK	eindeutiges Kennzeichen für einen Leistungserbringer nach Paragraph 293 SGB V

### 2.2.4. Additional implementation remarks

As Extension XRechnung introduces new information elements, which are not part of the core semantic data model defined in EN 16931-1 and therefore not part of the syntax bindings defined in EN 16931-3-n, KoSIT published a separate syntax binding for the Extension XRechnung.

Currently, only a syntax binding for UBL Invoice is provided, UBL Credit Note is not supported. A syntax binding for CII is in planning. Nevertheless, Extension XRechnung features can be used with CII if they do not require the information elements that were added with the extension. These features are:

- Embedded attachments with file type XML
- Additional entries to ISO 6523 ICD code list and Electronic Address Scheme (EAS)